Pure Performance Interior Latex Eggshell 9-310XI by PPG Architectural Finishes

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: For 9-310XI PPG PURE PERFORMANCE INTERIOR LATEX EGGSHELL WHITE/PASTEL BASE, this assessment is limited to the base formula not including tint. PPG Pure Performance is a premium, low-odor, zero-VOC*, 100% acrylic latex base paint designed to meet the performance requirements of the institutional, commercial and residential markets. Pure Performance Interior Latex is formulated to provide excellent hiding and application properties in addition to low odor, zero-VOC's*, and antimicrobial properties that resist mold and mildew on the dry paint film. Ideal for use in occupied areas such as: hotel/motel and resort properties, nursing homes, homes, schools, government facilities, retail space, office buildings, hospitals, and apartments. *Colorants added to base paints may increase the VOC significantly depending on color choice. However PPG offers a low VOC line of colorants which, if used even at maximum tint load in any color, contributes less than 8 g/L of VOC to the final tinted product. "

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method
 Basic Method

Threshold Disclosed Per

- C Material
- Product

- Threshold level C 100 ppm O 1,000 ppm
- Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC • Yes O No

 % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

○ Yes Ex/SC ○ Yes ⊙ No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

PURE PERFORMANCE INTERIOR LATEX EGGSHELL 9-310XI [WATER BM-4 UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END LIMESTONE, CALCIUM CARBONATE LT-UNK NEPHELINE SYENITE LT-UNK UNDISCLOSED LT-UNK DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-UNK SEPIOLITE LT-UNK | CAN UNDISCLOSED LT-UNK ALCOHOLS, C12-14-SECONDARY, ETHOXYLATED LT-P1 ALUMINA TRIHYDRATE BM-2 | RES POLYPROPYLENE GLYCOL LT-UNK SILICA, AMORPHOUS LT-P1 | CAN HYDROXYETHYL CELLULOSE LT-P1 | END ZINC PYRITHIONE (ZPT) BM-1tp | MUL]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.4% of the product weight meet the 1000 $\ensuremath{\mathsf{ppm}}$ threshold and are screened

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: GreenGuard - Gold (previously Children & Schools) VOC emissions: GreenGuard - Indoor Air Quality Certified VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

C Yes • No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-05-07 PUBLISHED DATE: 2019-05-31 EXPIRY DATE: 2022-05-07 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PURE PERFORMANCE INTERIOR LATEX EGGSHELL 9-310XI

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: PPG'S Product Stewardship and Hazard Communication program requires disclosure by our raw material suppliers of all components both intentional and residual, considered to be hazardous. PPG relies on the measurements of the raw material suppliers and the details of their disclosure in an extensive raw materials introduction process. Always refer to the Product label, Technical Data sheet (DS), and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: NA

WATER				ID: 558440-22-5		
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREENI	HAZARD SCREENING DATE: 2019-05-07			
%: 55.00 - 65.00	GS: BM-4	RC: None	RC: None NANO: No ROLE: Th			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found or	HPD Priority Hazard Lists		
SUBSTANCE NOTES: Rang	e listed represents standard manufacturing varia	bility.				
UNDISCLOSED						
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-0	5-07		
%: 15.00 - 20.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found or	HPD Priority Hazard Lists		
to raw material suppl	le listed represents standard manufacturing varia ier holding chemical substance as proprietary. Fo terial supplier resources to assign CAS numbers	or the purpose of this so	reen, PPG relies	on extensive internal,		
TITANIUM DIOXIDE				ID: 13463-67-7		
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREENIN	IG DATE: 2019-05-	07		

%: 5.00 - 10.00	GS: LT-1	RC: None NANO: No ROLE: Pigment			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with lo risk under MAK/BAT levels			

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. This product contains TiO2 which has been classified as a GHS Carcinogen Category 2 based on its IARC 2B classification. In this case, the TiO2 particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO2 when the product is applied with a brush or roller. Sanding the coating surface or mist from spray applications may be harmful depending on the duration and level of exposure and require the use of appropriate personal protective equipment and/or engineering controls (see Section 8).

LIMESTONE, CALCIUM CARBON	ATE			ID: 1317-65-3
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	07	
%: 5.00 - 10.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No wa	rnings found on HP	D Priority Hazard Lists
SUBSTANCE NOTES: Range listed rep	presents standard manufacturing variability.			
NEPHELINE SYENITE				ID: 37244-96-5
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-07		
%: 1.00 - 5.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No wa	rnings found on HP	D Priority Hazard Lists
SUBSTANCE NOTES: Range listed rep	presents standard manufacturing variability.			
UNDISCLOSED				
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING	a date: 2019-05-07	,
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive

Pure Performance Interior Latex Eggshell 9-310XI hpdrepository.hpd-collaborative.org

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that presents the chemical family and associated hazards.

DIATOMACEOUS EARTH [WHICH SILICA]	I CONTAINS LESS THAN 0.1% OF CRYSTALI	INE				ID: 61790-53-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2019-05-07			
%: 0.10 - 1.00	GS: LT-UNK		RC: None	NANO:	No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warni	ings found or	ו HPD	Priority Hazard Lists
SUBSTANCE NOTES: Range listed rep	presents standard manufacturing variability.					
SEPIOLITE						ID: 63800-37-3
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SC	REENING DA	ATE: 2019-0	5-07	
%: 0.10 - 1.00	GS: LT-UNK	RC: None	Ν	iano: No	R	OLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	МАК			B - Evidence classificatio		cinogenic effects
SUBSTANCE NOTES: Range listed rep	presents standard manufacturing variability.					
HAZARD SCREENING METHOD: Pharos C	chemical and Materials Library	HAZARD SC	REENING D	ATE: 2019-0	5-07	
%: 0.10 - 1.00	GS: LT-UNK	RC: None	N	iano: No	R	DLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnings found on HPD Priority Hazard Lists				
to raw material supplier holding	presents standard manufacturing variability. Id chemical substance as proprietary. For the pu ier resources to assign CAS numbers that pres	rpose of thi	is screen,	, PPG relies	on ex	tensive internal,
ALCOHOLS, C12-14-SECONDAR	Y, ETHOXYLATED					ID: 84133-50-6
HAZARD SCREENING METHOD: Pharos C	chemical and Materials Library	HAZARD SCF	REENING DA	TE: 2019-05	-07	

Pure Performance Interior Latex Eggshell 9-310XI hpdrepository.hpd-collaborative.org

%: 0.10 - 0.50	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		Nc	warnings found o	n HPD Priority Hazard Lists
SUBSTANCE NOTES: Range I	isted represents standard manufacturing variability.			
ALUMINA TRIHYDRATE				ID: 21645-51-2
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-05	-07
%: 0.10 - 0.50	GS: BM-2	RC: None	NANO: No	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (R	s) - sensitizer-indu	ced
SUBSTANCE NOTES: Range I	isted represents standard manufacturing variability.			
POLYPROPYLENE GLYC	OL			ID: 25322-69-4
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-0	5-07
%: 0.10 - 0.50	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	n HPD Priority Hazard Lists
SUBSTANCE NOTES: Range I	isted represents standard manufacturing variability.			
SILICA, AMORPHOUS				ıd: 7631-86-9
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2019-05	5-07
%: 0.10 - 0.50	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	Japan - GHS	Carcinogenicit	y - Category 1A	
CANCER	Australia - GHS	H350i - May ca	ause cancer by inh	alation
SUBSTANCE NOTES: Range I	isted represents standard manufacturing variability.			
HYDROXYETHYL CELLU	LOSE			ID: 9004-62-0

%: 0.10 - 0.50	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo		
SUBSTANCE NOTES: Range listed	represents standard manufacturing variability.			

ZINC PYRITHIONE (ZPT)				id: 13463-4	1-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-07			
%: 0.10 - 0.20	GS: BM-1tp	RC: None	NANO: NO	ROLE: Preservative	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters			

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All	ISSUE DATE: 2011- 02-07	EXPIRY DATE: 2019- 05-07	CERTIFIER OR LAB: None		
certificate url: https://spot.ul.com/main- app/products/detail/5ad1e9ca55b0e82d946a281c?					
page_type=Products Catalog					

CERTIFICATION AND COMPLIANCE NOTES: Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment with an air change of 0.82 hr⁻¹ and a loading of 94.60 m². ; and Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office Environment with an air change of 0.68 hr⁻¹ and a loading of 33.40 m². Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

VOC EMISSIONS		GreenGuard - Indoor Air Quality Certified			
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:		
APPLICABLE FACILITIES: AII	2011-02-	2019-05-	None		
CERTIFICATE URL: http://productguide.ulenvironment.com/SearchResults.aspx?	07	07			
CategoryID=15&SubCategoryID=28&TypeID=24&BrandID=820&perPage=72					

CERTIFICATION AND COMPLIANCE NOTES: Wall finishes are determined compliant using an Office Environment with an air change of 0.68 hr⁻¹ and a loading of 33.40 m². Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments				
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019- 05-20	EXPIRY DATE:	CERTIFIER OR LAB: NONE		
CERTIFICATE URL:					

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG NEXT GENERATION COLORANT SYSTEM

HPD URL: **no HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to Pure Performance base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.

Section 5: General Notes

Please note PPG has a strong Product Stewardship and Hazard Communication program. While some raw material suppliers may choose to keep chemical substances proprietary, PPG requires them to fully disclose hazards . All PPG products, in turn, reflect those hazards. In instances where CAS numbers are not available, PPG relies on extensive internal, external, and raw material supplier resources to assign representative CAS numbers for this screening that represent the chemical family and associated hazards. Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all instructions and directions provided by PPG.

MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes Address: One PPG Place Plttsburgh PA 15272, USA WEBSITE: http://www.ppg.com

CONTACT NAME: Architectural Coatings Technical Advise Center TITLE: Technical Advisor PHONE: 1-800-441-9695 EMAIL: techservicerequests@ppg.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

Pure Performance Interior Latex Eggshell 9-310XI hpdrepository.hpd-collaborative.org