12-310XI SPEEDHIDE Pro-EV Zero Eggshell White & Pastel Base by PPG Architectural Finishes

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: For 12-310XI SPEEDHIDE Pro-EV Zero Eggshell White & Pastel Base, this assessment is limited to the base formula not including tint. SPEEDHIDE® Pro-EV Zero Interior Latex is a durable, quality interior vinyl acrylic paint designed for new and repaint applications where speed of application is most important in both the commercial and multi-family markets. This zero VOC^{**}, low odor paint enables a space to be painted while occupied, delivering the durable product performance required. SPEEDHIDE® Pro-EV Zero Interior Latex paint has good adhesion, touch-up and application properties on walls, ceilings and trim surfaces. **Colorants added to base paints may increase the VOC significantly depending on color choice. However PPG offers a low VOC line of colorants which, if used even at maximum tint load in any color, contributes less than 8 g/L of VOC to the final tinted product.

🟮 Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- C Material
- Product

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

ults disclosed.

C Yes Ex/SC C Yes 🛈 No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Threshold level

C 100 ppm

C Other

• 1,000 ppm

C Per GHS SDS

C Per OSHA MSDS

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

12-310XI SPEEDHIDE PRO-EV ZERO EGGSHELL WHITE & PASTEL BASE [WATER BM-4 VINYL ACETATE, POLYMER WITH N-BUTYL ACRYLATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END KAOLIN CLAY LT-UNK | CAN DIATOMACEOUS EARTH [WHICH CONTAINS 0.1% OR MORE OF CRYSTALLINE SILICA] LT-P1 | CAN POLYOXYETHYLENE BRANCHED C9 ALKYLPHENOL ETHER BM-1tp | END | MUL | REP | AQU | DEL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ALUMINA TRIHYDRATE BM-2 | RES UNDISCLOSED LT-UNK SILICA, AMORPHOUS LT-P1 | CAN SEPIOLITE LT-UNK | CAN UNDISCLOSED LT-UNK POTASSIUM HYDROXIDE LT-P1 | SKI POLYPROPYLENE GLYCOL LT-UNK POLYETHYLENE GLYCOL MONOISODECYL ETHER LT-UNK ALCOHOLS, C12-14-SECONDARY, ETHOXYLATED LT-UNK HYDROXYETHYL CELLULOSE LT-P1 | END]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0

12-310XI SPEEDHIDE Pro-EV Zero Eggshell White & Pastel Base hpdrepository.hpd-collaborative.org

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Identified

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.8% of the product weight meet the 1000 $\ensuremath{\mathsf{ppm}}$ threshold and are screened

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: GreenGuard - Gold (previously Children & Schools)

VOC emissions: GreenGuard - Indoor Air Quality Certified VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-09-26 PUBLISHED DATE: 2019-09-28 EXPIRY DATE: 2022-09-26 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

12-310XI SPEEDHIDE PRO-EV ZERO EGGSHELL WHITE & PASTEL BASE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: PPG'S Product Stewardship and Hazard Communication program requires disclosure by our raw material suppliers of all components both intentional and residual, considered to be hazardous. PPG relies on the measurements of the raw material suppliers and the details of their disclosure in an extensive raw materials introduction process. Always refer to the Product label, Technical Data sheet (DS), and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: NA

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-09	-26
%: 50.00 - 60.00	GS: BM-4	RC: None	NANO: NO	ROLE: Thinner
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		Nc	o warnings found or	n HPD Priority Hazard Lists
SUBSTANCE NOTES: Rang	e listed represents standard manufacturing variability.			
-				
VINYL ACETATE, POLY	MER WITH N-BUTYL ACRYLATE			ID: 25067-01-0
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2019-0	9-26
%: 15.00 - 20.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	o warnings found or	n HPD Priority Hazard Lists
SUBSTANCE NOTES: Rang	e listed represents standard manufacturing variability.			
-				
TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-09-2	26
%: 10.00 - 15.00	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. This product contains TiO2 which has been classified as a GHS Carcinogen Category 2 based on its IARC 2B classification. In this case, the TiO2 particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO2 when the product is applied with a brush or roller. Sanding the coating surface or mist from spray applications may be harmful depending on the duration and level of exposure and require the use of appropriate personal protective equipment and/or engineering controls (see Section 8).

KAOLIN CLAY				ID: 1332-58-7
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-09-	-26
%: 5.00 - 10.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	MAK	Carcinogen Group but not sufficient		carcinogenic effects

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

DIATOMACEOUS EART SILICA]	H [WHICH CONTAINS 0.1% OR MORE OF	CRYSTALLINE ID: 61	790-53-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-09-26	
%: 1.00 - 5.00	GS: LT-P1	RC: None NANO: No ROLE: I	Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]	
SUBSTANCE NOTES: Range	listed represents standard manufacturing	variability.	
POLYOXYETHYLENE B	RANCHED C9 ALKYLPHENOL ETHER	ID: 68	8412-54-4
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2019-09-26	
			i412-54-

12-310XI SPEEDHIDE Pro-EV Zero Eggshell White & Pastel Base hpdrepository.hpd-collaborative.org

%: 1.00 - 2.00	GS: BM-1tp	RC: None NANO: No ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-26		
%: 1.00 - 2.00	gs: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No w	varnings found on	HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-09-26		
%: 0.50 - 1.50	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard List		n HPD Priority Hazard Lists	

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	n HPD Priority Hazard Lists
to raw material supplie	listed represents standard manufacturing variab r holding chemical substance as proprietary. For rial supplier resources to assign CAS numbers th	the purpose of this sc	reen, PPG relies	on extensive internal,
ALUMINA TRIHYDRATE				ıd: 21645-51-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-09	-26
%: 0.10 - 1.00	GS: BM-2	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-indu	ced
SUBSTANCE NOTES: Range	listed represents standard manufacturing variab	ility.		
UNDISCLOSED				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2019-0	9-26
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	n HPD Priority Hazard Lists
to raw material supplie	listed represents standard manufacturing variab r holding chemical substance as proprietary. For rial supplier resources to assign CAS numbers th	the purpose of this sc	reen, PPG relies	on extensive internal,

SILICA, AMORPHOUS				ID: 7631-86-9
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	NG DATE: 2019-09	9-26
%: 0.10 - 1.00	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	GHS - Japan	Carcinogenicity	/ - Category 1A [H	350]
CANCER	GHS - Australia	H350i - May ca	use cancer by inh	alation
SUBSTANCE NOTES: Range listed	represents standard manufacturing variability.			

SEPIOLITE				ID: 63800-37-3
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-09	9-26
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	МАК	•	up 3B - Evidence of t for classification	carcinogenic effects
SUBSTANCE NOTES: Bange listed ren	presents standard manufacturing variability.			
UNDISCLOSED				
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENIN	IG DATE: 2019-09-2	26
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No w	varnings found on H	IPD Priority Hazard Lists
to raw material supplier holding	presents standard manufacturing variability. Id chemical substance as proprietary. For the pu ier resources to assign CAS numbers that repr	rpose of this scre	een, PPG relies or	n extensive internal,
POTASSIUM HYDROXIDE				ID: 1310-58-3
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING	g date: 2019-09-2	6
%: 0.10 - 1.00	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes se	evere skin burns ar	id eye damage
SUBSTANCE NOTES: Bange listed reg	presents standard manufacturing variability.			
POLYPROPYLENE GLYCOL				ID: 25322-69-4
HAZARD SCREENING METHOD: Pharos C	chemical and Materials Library	HAZARD SCREENIN	IG DATE: 2019-09-2	26
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No w	varnings found on H	PD Priority Hazard Lists
SUBSTANCE NOTES: Range listed rep	presents standard manufacturing variability.			

POLYETHYLENE GLYCOL MON	DISODECYL ETHER			ID: 61827-42-7	
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENIN	NG DATE: 2019-09-	26	
%: 0.10 - 1.00	GS: LT-UNK	RC: None NANO: No ROLE: Additive			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	varnings found on H	HPD Priority Hazard Lists	
SUBSTANCE NOTES: Range listed re	presents standard manufacturing variability.				
ALCOHOLS, C12-14-SECONDAF	RY, ETHOXYLATED			ID: 84133-50-6	
HAZARD SCREENING METHOD: Pharos (REENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-09-26		
%: 0.10 - 1.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	varnings found on H	HPD Priority Hazard Lists	
SUBSTANCE NOTES: Range listed re	presents standard manufacturing variability.				
HYDROXYETHYL CELLULOSE				ID: 9004-62-0	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	g date: 2019-09-2	26	
%: 0.10 - 1.00	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocr	ine Disruptor		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Go	GreenGuard - Gold (previously Children & Schools)			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All	ISSUE DATE: 2017- 07-27	EXPIRY DATE: 2020-02-07	CERTIFIER OR LAB: UL Environment		
CERTIFICATE URL: https://spot.ul.com/					

CERTIFICATION AND COMPLIANCE NOTES: Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment with an air change of 0.82 hr⁻¹ and a loading of 94.60 m². ; and Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office Environment with an air change of 0.68 hr⁻¹ and a loading of 33.40 m². Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

VOC EMISSIONS	GreenGuard - Indoor Air Quality Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-	EXPIRY DATE: 2020-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	07-27	02-07	Environment
CERTIFICATE URL: https://spot.ul.com/			

CERTIFICATION AND COMPLIANCE NOTES: Wall finishes are determined compliant using an Office Environment with an air change of 0.68 hr⁻¹ and a loading of 33.40 m². Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2019- 09-27	EXPIRY DATE:	CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG NEXT GENERATION COLORANT SYSTEM

HPD URL: no HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to SPEEDHIDE Pro-EV Zero base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all instructions and directions provided by PPG.

MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes Address: One PPG Place Pittsburgh PA 15272, USA WEBSITE: www.ppg.com

CONTACT NAME: Architectural Coatings Technical Advice Center TITLE: Technical Advisor PHONE: 1-800-441-9695 EMAIL: techservicerequests@ppg.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

12-310XI SPEEDHIDE Pro-EV Zero Eggshell White & Pastel Base hpdrepository.hpd-collaborative.org