

# PPG MANOR HALL® INTERIOR LATEX EGGSHELL White & Pastel Base 82-3310

by PPG Architectural Finishes

## Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26900179968

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT TYPE: Interior Finish Coat, General (Paints and Coatings)

PRODUCT DESCRIPTION: Manor Hall Interior Paint & Primer\* in One is a premium, 100% acrylic latex interior paint offering excellent coverage and hiding and exceptional durability and hide. Advanced leveling delivers a smooth film and a beautiful finish. Outstanding washability, scrubability and burnish resistance make it an excellent choice for walls in high-traffic areas. \*Separate primer or multiple coats may be required.

### Section 1: Summary

### Basic Method / Product Threshold

#### CONTENT INVENTORY

| Inventory Reporting Format   | Threshold Level   | Residuals/Impurities Evaluation   | For all contents above the threshold, the manufacturer has:   |
|--|---|---|---|
| <input type="radio"/> Nested Materials Method<br><input checked="" type="radio"/> Basic Method | <input type="radio"/> 100 ppm<br><input checked="" type="radio"/> 1,000 ppm<br><input type="radio"/> Per GHS SDS<br><input type="radio"/> Other | <input checked="" type="radio"/> Completed<br><input type="radio"/> Partially Completed<br><input type="radio"/> Not Completed<br><br><b>Explanation(s) provided :</b><br><input checked="" type="radio"/> Yes <input type="radio"/> No | <b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No<br>Provided weight and role.<br><b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No<br>Provided screening results using HPDC-approved methods.<br><b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No<br>Provided name and CAS RN or other identifier. |
| Threshold Disclosed Per  |   |   |   |
| <input type="radio"/> Material<br><input checked="" type="radio"/> Product                     |   |   |   |

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
 GREENSCREEN SCORE | HAZARD TYPE

PPG MANOR HALL® INTERIOR LATEX EGGSHELL WHITE & PASTEL BASE 82-3310 [ WATER BM-4 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK AMORPHOUS SILICA BM-1 ] CAN | MAM POLYVINYL CHLORIDE LT-P1 | MAM HEXANOIC ACID, 2-ETHYL-, 1,2-ETHANEDIYLBIS(OXY-2,1-ETHANEDIYL) ESTER LT-UNK DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC LT-1 | CAN | MUL | SKI | DEV POLY(OXY-1,2-ETHANEDIYL), α-HYDRO-ω-HYDROXY- LT-UNK CELLULOSE, 2-HYDROXYETHYL ETHER LT-P1 | END POLY(OXY-1,2-ETHANEDIYL, A-(2-PROPYLHEPTYL)-W-HYDROXY- LT-UNK 2,5-FURANDIONE, POLYMER WITH 2,4,4-TRIMETHYLPENTENE, SODIUM SALT LT-UNK 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHENYL ACETATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK 2-PROPANOL, 1-AMINO- LT-UNK | SKI | EYE AMMONIUM HYDROXIDE, NOS LT-P1 | MUL | SKI | AQU | MAM | EYE | PHY BENZENESULFONIC ACID, C10-16-ALKYL DERIVS., COMPDS. WITH 2-PROPANAMINE LT-P1 | SKI | EYE BENZENESULFONIC ACID, DODECYL-, COMPD. WITH N,N-DIETHYLETHANAMINE (1:1) LT-UNK | SKI | EYE BENZENESULFONIC ACID, MONO-C9-17-BRANCHED ALKYL DERIVS., COMPDS. WITH 2-PROPANAMINE LT-UNK BENZOPHENONE LT-1 | END | CAN | AQU FULLER'S EARTH NoGS POLY[OXY(METHYL-1,2-ETHANEDIYL)], α-BUTYL-ω-HYDROXY- LT-UNK | AQU ]

Number of Greenscreen BM-4/BM3 contents ... 1  
 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1  
 Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

Substances representing 99.73% of the product weight meet the 1000ppm threshold and are screened.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0                      Regulatory (g/l): 0

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Certified

VOC emissions: UL/GreenGuard Gold Certified

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-05-13

PUBLISHED DATE: 2024-05-14

EXPIRY DATE: 2027-05-13

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### PPG MANOR HALL® INTERIOR LATEX EGGSHELL WHITE & PASTEL BASE 82-3310

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION  
COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residual and impurities were considered based on direct testing via appropriate method such as HPLC for PPG manufactured raw materials or by supplier disclosure letters for purchased raw materials which were typically supplied referencing a 1000ppm threshold. No residuals or impurities are expected to be present at or above the Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

#### WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-13 22:59:14**

%: **60.0000 - 65.0000**

GreenScreen: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Solvent**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

#### 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 36179-96-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-13 22:59:14**

%: **20.0000 - 25.0000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

**AMORPHOUS SILICA**

ID: 7631-86-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:15**

%: **4.0000 - 6.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS  |
|-------------|----------------------|---|
| CAN         | GHS - Japan          | H350 - May cause cancer [Carcinogenicity - Category 1A]   |
| CAN         | GHS - Australia      | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]  |
| MAM         | GHS - Japan          | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]   |
| MAM         | GHS - Japan          | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia      | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
|---------------------|---------------------------------------|---|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Antimicrobials |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**POLYVINYL CHLORIDE**

ID: 9002-86-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:15**

%: **4.0000 - 6.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS  |
|-------------|----------------------|---|
| MAM         | GHS - Japan          | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]   |
| MAM         | GHS - Japan          | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Perkins+Will (P+W)                                      | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Core Restrictions   |
| RESTRICTED LIST     | International Living Future Institute (ILFI)            | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024<br><br>Red List substances to avoid in Living Building Challenge V4.0 projects |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**HEXANOIC ACID, 2-ETHYL-, 1,2-ETHANEDIYLBIS(OXY-2,1-ETHANEDIYL) ESTER**

ID: 94-28-0

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                       | HAZARD SCREENING DATE: <b>2024-05-13 22:59:15</b>          |                 |                                   |
|--|---------------------------------------|--|-----------------|-----------------------------------|
| %: <b>1.0000 - 2.0000</b>  | GreenScreen: <b>LT-UNK</b>            | RC: <b>None</b>  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Coalescent</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE                  | WARNINGS   |                 |                                   |
| None found   |                                       | No warnings found on HPD Priority Hazard Lists             |                 |                                   |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE                  | NOTIFICATION   |                 |                                   |
| RESTRICTED LIST  | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents |                 |                                   |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC**

ID: 64742-65-0

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                          | HAZARD SCREENING DATE: <b>2024-05-13 22:59:15</b> |                 |                                 |
|--|--------------------------|---|-----------------|---------------------------------|
| %: <b>0.6000 - 1.0000</b>  | GreenScreen: <b>LT-1</b> | RC: <b>None</b>                                   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Defoamer</b> |

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| CAN         | EU - Annex VI CMRs                          | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence               |
| MUL         | ChemSec - SIN List                          | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant                                |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| CAN         | GHS - Australia                             | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]                       |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]                       |
| SKI         | GHS - Australia                             | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]              |
| DEV         | GHS - Australia                             | H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2] |
| CAN         | EU - REACH Annex XVII CMRs                  | Carcinogens: Category 1B  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION  |
|---------------------|---|---|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products          |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

**POLY(OXY-1,2-ETHANEDIYL),  $\alpha$ -HYDRO- $\omega$ -HYDROXY-**

ID: 25322-68-3

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                       | HAZARD SCREENING DATE: <b>2024-05-13 22:59:15</b>           |                 |                                   |
|--|---------------------------------------|---|-----------------|-----------------------------------|
| %: <b>0.6000 - 1.0000</b>  | GreenScreen: <b>LT-UNK</b>            | RC: <b>None</b>   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Surfactant</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE                  | WARNINGS  |                 |                                   |
| None found   |                                       | No warnings found on HPD Priority Hazard Lists              |                 |                                   |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE                  | NOTIFICATION  |                 |                                   |
| RESTRICTED LIST  | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Antimicrobials |                 |                                   |
| RESTRICTED LIST  | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents  |                 |                                   |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**CELLULOSE, 2-HYDROXYETHYL ETHER**

ID: 9004-62-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:15**

%: **0.3000 - 0.6000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**POLY(OXY-1,2-ETHANEDIYL, A-(2-PROPYLHEPTYL)-W-HYDROXY-**

ID: 160875-66-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:15**

%: **0.3000 - 0.6000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**2,5-FURANDIONE, POLYMER WITH 2,4,4-TRIMETHYLPENTENE, SODIUM SALT**

ID: 37199-81-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:15**

%: **0.3000 - 0.6000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

**2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHENYL ACETATE AND METHYL 2-METHYL-2-PROPENOATE**

ID: 28430-58-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:15**

%: **0.3000 - 0.6000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**2-PROPANOL, 1-AMINO-**

ID: 78-96-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:16**

%: **0.0000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

| HAZARD TYPE | LIST NAME AND SOURCE                      | WARNINGS   |
|-------------|---|--|
| SKI         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| SKI         | GHS - New Zealand                         | Skin corrosion category 1C   |
| EYE         | GHS - New Zealand                         | Serious eye damage category 1  |
| EYE         | GHS - Japan                               | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                  |
| SKI         | GHS - Japan                               | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]            |
| SKI         | GHS - Australia                           | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.



HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-05-13 22:59:16**%: **0.0000 - 0.3000**GreenScreen: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Buffer**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS   |
|---------------------|---|--|
| MUL                 | German FEA - Substances Hazardous to Waters             | Class 3 - Severe Hazard to Waters  |
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1               | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]   |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1               | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| MAM                 | GHS - Japan   | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                     |
| EYE                 | GHS - Japan   | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]  |
| SKI                 | GHS - Japan   | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]  |
| SKI                 | GHS - Australia   | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]   |
| AQU                 | GHS - Korea   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| SKI                 | GHS - Korea   | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]  |
| MAM                 | GHS - Australia   | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]   |
| PHY                 | GHS - Korea   | H220 - Extremely flammable gas [Flammable gases - Category 1]  |
| AQU                 | GHS - Australia   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| MAM                 | GHS - Korea   | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**BENZENESULFONIC ACID, C10-16-ALKYL DERIVS., COMPD. WITH 2-PROPANAMINE**

ID: 68584-24-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-13 22:59:16**

%: **0.0000 - 0.3000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS  |
|---------------------|----------------------|---|
| SKI                 | GHS - Australia      | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]            |
| EYE                 | GHS - Australia      | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION  |
| None found          |                      | No listings found on Additional Hazard Lists                                      |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**BENZENESULFONIC ACID, DODECYL-, COMPD. WITH N,N-DIETHYLETHANAMINE (1:1)**

ID: 29061-63-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-13 22:59:16**

%: **0.0000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS  |
|---------------------|----------------------|---|
| SKI                 | GHS - Australia      | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]            |
| EYE                 | GHS - Australia      | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION  |
| None found          |                      | No listings found on Additional Hazard Lists                                      |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**BENZENESULFONIC ACID, MONO-C9-17-BRANCHED ALKYL DERIVS., COMPD. WITH 2-PROPANAMINE**

ID: 68649-00-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-13 22:59:16**

%: **0.0000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|--|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**BENZOPHENONE**

ID: 119-61-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-13 22:59:16**

%: **0.0000 - 0.3000**      GreenScreen: **LT-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Heat or UV stabilizer**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS  |
|---------------------|---|---|
| END                 | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor   |
| CAN                 | EU - Annex VI CMRs                                      | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence   |
| END                 | ChemSec - SIN List                                      | Endocrine Disruption  |
| CAN                 | CA EPA - Prop 65  | Carcinogen  |
| CAN                 | IARC  | Group 2b - Possibly carcinogenic to humans  |
| CAN                 | GHS - Japan   | H350 - May cause cancer [Carcinogenicity - Category 1B]   |
| CAN                 | EU - GHS (H-Statements) Annex 6 Table 3-1               | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]   |
| AQU                 | GHS - New Zealand                                       | Hazardous to the aquatic environment - acute category 1   |
| AQU                 | GHS - New Zealand                                       | Hazardous to the aquatic environment - chronic category 1   |
| AQU                 | GHS - Japan   | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]  |
| AQU                 | GHS - Japan   | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]            |
| CAN                 | GHS - Australia   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| CAN                 | EU - REACH Annex XVII CMRs                              | Carcinogens: Category 1B  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products          |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**FULLER'S EARTH**

ID: 8031-18-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-05-13 22:59:16**

#: 0.0000 - 0.3000

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Filler

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|--|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**POLY[OXY(METHYL-1,2-ETHANEDIYL)], α-BUTYL-ω-HYDROXY-**

ID: 9003-13-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-05-13 22:59:17**

#: 0.0000 - 0.3000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS  |
|---------------------|---------------------------------------|---|
| AQU                 | GHS - New Zealand                     | Hazardous to the aquatic environment - chronic category 3 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br>Antimicrobials   |

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS  | UL/GreenGuard Certified          |                      |
|--|----------------------------------|----------------------|
| CERTIFYING PARTY: Third Party  | ISSUE DATE: 2018-10-15 00:00:00  | CERTIFIER OR LAB: UL |
| APPLICABLE FACILITIES: All   | EXPIRY DATE: 2025-02-07 00:00:00 |                      |
| CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/5bc891eb55b0e82fcce169f6?page_type=Products%20Catalog">https://spot.ul.com/main-app/products/detail/5bc891eb55b0e82fcce169f6?page_type=Products%20Catalog</a> |                                  |                      |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate # 130820-410   |                                  |                      |

| VOC EMISSIONS  | UL/GreenGuard Gold Certified     |                      |
|--|----------------------------------|----------------------|
| CERTIFYING PARTY: Third Party  | ISSUE DATE: 2018-10-15 00:00:00  | CERTIFIER OR LAB: UL |
| APPLICABLE FACILITIES: All   | EXPIRY DATE: 2025-02-07 00:00:00 |                      |
| CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/5bc891eb55b0e82fcce169f6?page_type=Products%20Catalog">https://spot.ul.com/main-app/products/detail/5bc891eb55b0e82fcce169f6?page_type=Products%20Catalog</a> |                                  |                      |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate # 130820-420   |                                  |                      |

| VOC CONTENT   | SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments |                        |
|---|---|------------------------|
| CERTIFYING PARTY: Self-declared   | ISSUE DATE: 2024-05-11 00:00:00   | CERTIFIER OR LAB: None |
| APPLICABLE FACILITIES: All  | EXPIRY DATE: 2024-05-12 00:00:00  |                        |
| CERTIFICATE URL:  |   |                        |
| CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24. |   |                        |

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

| PPG FORMULA PRO COLORANTS  |
|--|
| MANUFACTURER (OR GENERIC): PPG Industries, Inc   |
| HPD URL: No HPD available  |
| ACCESSORY TYPE: Colorant System  |
| CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PPG Formula Pro Colorants (96-xxxXI, 96-xxx, 96-xxxx, 96-xxxxx), even if used at maximum tint load in any color, contribute less than 8 g/L of VOC to the final tinted product. Twelve colorants have received GreenGuard and GreenGuard Gold certifications. These may be viewed at <a href="https://spot.ul.com/main-app/products/catalog/?keywords=ppg+formula+pro">https://spot.ul.com/main-app/products/catalog/?keywords=ppg+formula+pro</a> . Note: While this is the recommended colorant system accessory, some retailers may use other colorant systems for which PPG has no VOC information. |

## Section 5: General Notes

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all instructions and directions provided by PPG.

**MANUFACTURER INFORMATION**

MANUFACTURER: **PPG Architectural Finishes**  
 ADDRESS: **1 PPG Place**  
**Pittsburgh, Pennsylvania 15222**  
 COUNTRY: **United States**  
 LATITUDE: **-80.0039000**  
 LONGITUDE: **40.4401000**

WEBSITE: **www.ppg.com**  
 CONTACT NAME: **Steve McQuown**  
 TITLE: **Senior Product Sustainability Specialist**  
 PHONE: **(724)325-5074**  
 EMAIL: **mcquown@ppg.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

|                                       |   |  |
|---------------------------------------|---|--|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |  |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |  |

**GreenScreen (GS)**

|   |  |
|---|--|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |  |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*